Web

Results **1** - **10** of about **30** for "quartic equation", "elliptic curve", Jacobi "affine coordinates". (**0.72** seconds)

Search Results

1.   Method for universal calculation applied to points of an **elliptic ...**
... on the points of an **elliptic curve** defined by a **quartic equation** uses identical
... for example by **affine coordinates** or **Jacobi** projective coordinates. ...
www.freshpatents.com/Method-for-universal-calculation-applied-to-points-of-an-elliptic-curve-dt20060316ptan20060056619.p... - 30k - Cached - Similar pages

   2. Method for universal calculation applied to points of an **elliptic ...**
   A method for universal calculation on the points of an **elliptic curve**
   defined ... in **affine coordinates** (X, Y), the **affine coordinates** (X, Y)
   and the **Jacobi ...**
   www.freshpatents.com/Method-for-universal-calculation-applied-to-
   points-of-an-**elliptic-curve**-dt20060316ptan20060056619.p... - 25k -
   Cached - Similar pages
   More results from www.freshpatents.com »

3.   Page 1 4 Families of Elliptic Curves and Geometric Properties of

   ...
   giving an **elliptic curve** E over k(t), then we can substitute in any value for t $\in$ T,
   the ..... or in **affine coordinates** with w = −1, it has the form ... The **Jacobi** family
   is given by a **quartic equation** and we begin by explaining how ...
   www.springerlink.com/index/n8612k14x1j65566.pdf - Similar pages

   4. Hodge Structures and Period Map
   Expressing it in **affine coordinates** we show that it is non-degenerate.
   ...... For example, an **elliptic curve** acquiring a double point is rationally
   equivalent to the projective line. ...... is given by a **quartic equation** y ...
   There is a holomorphic diffeomorphism between C and E. It is the Abel–
   Jacobi ...
   www.springerlink.com/index/g330r082313wq25j.pdf - Similar pages

5.   Method for universal calculation applied to points of an **elliptic ...**
   A point on an **elliptic curve** can be represented by several types of coordinate,
   for example by **affine coordinates** or **Jacobi** projective coordinates. ...
   www.freepatentsonline.com/y2006/0056619.html - Similar pages

6.   [PDF]

   Rolling Factors Deformations and Extensions of Canonical Curves

t) as **affine coordinates** ...... rationally ruled surface over a (hyper)**elliptic curve** E with a rational curve. E of double points, the canonical image of E ...... from which z may be eliminated to obtain a **quartic equation** for y. The case ..... of the **Jacobi** matrix of the system of equations (R) together with the π ...
www.emis.de/journals/DMJDMV/vol-06/09.pdf - Similar pages
by J Stevens - 2002 - Cited by 8 - Related articles - All 118 versions

7.   U. Bruzzo - Introduction to Algebraic Topology and Algebraic Geometry

Let V be the divisor cut out from P3 by the **quartic equation** (6.13) 4 4 4 ..... A way to check that the construction of the **Jacobi** variety does not .... We want to show that every smooth **elliptic curve** can be realized in this ... Thus C may be described as a locus in P2 whose equation in **affine coordinates** is (8.9) ...
www.scribd.com/doc/6870236/U-Bruzzo-Introduction-to-Algebraic-Topology-and-Algebraic-Geometry - 328k - Cached - Similar pages

8.   abac abacus Abelian Abelian category Abelian function Abelian ...

... elliptic congruence elliptic coordinate **elliptic curve** elliptic cyclic ..... solution Jacobian Jacobian variety **Jacobi** matrix **Jacobi's** polynomial jet ...
www.curelan.com/name_english/47.csv - Similar pages

9.   [PDF]

INTRODUCTION TO ALGEBRAIC TOPOLOGY AND ALGEBRAIC GEOMETRY

by the **quartic equation** ...... A way to check that the construction of the **Jacobi** variety does not depend on the choices we have made is to restate it invariantly. ..... We want to show that every smooth **elliptic curve** can be .... (we use the same **affine coordinates** as in the previous representation). Since ...
www.sissa.it/~bruzzo/notes/IATG/notes.pdf - Similar pages
by U Bruzzo - 2002 - Cited by 3 - Related articles

10.   [PDF]

Topics in Classical Algebraic Geometry. Part I

ant of an **elliptic curve** E and the isogeneous **elliptic curve** E/(t ...... In **affine coordinates**, it is given by. T : (x, y) ↦→ (x ...... The Abel-**Jacobi** Theorem asserts that p is zero on principal divisors (Abel's ...... After getting rid of squares, we obtain the **quartic equation** of C ...
www.math.lsa.umich.edu/~idolga/topics1.pdf - Similar pages
by I Dolgachev - 2003 - Cited by 14 - Related articles

1.   arXiv:math.AG/0006189 v1 26 Jun 2000

t) as **affine coordinates** on C **......** ruled surface over a (hyper)**elliptic curve** E
with a rational curve E of double points, the canonical image of E, **...**
www.citebase.org/fulltext?format=application%2Fpdf&identifier=oai%3AarXiv.org
%3Amath%2F0006189 - Similar pages

2. [PDF]

Elliptic Curves
File Format: PDF/Adobe Acrobat - View as HTML
The **Elliptic Curve** Group Law on the Intersection of Two Quadrics in Projective
Three Space . **....** **Jacobi** q-Parametrization: Application to Real Curves . **...**
kolho3.tiera.ru/M_Mathematics/.../Husemoeller%20D.%20Elliptic%20curves%20(
2ed.,%20Springer,%20GMT111,... - Similar pages

3. Jordan's totient function
... of a vector-valued function **Jacobi** matrix Jacobian planetmath.org 847 1858
.... 24 msc:11G07 msc:11G05 msc:14H52 **elliptic curve** $\mathfrak{p}$-function
...
br.endernet.org/~akrowne/planetmath/soc/nnexus/svn/trunk/pmout.xml - Similar
pages

4. [APPLICATION] Method for universal calculation applied to points of an
elliptic ... - Google Patents Result
US Pat. App 10523840 - Gemplus
A method according to claim 1, wherein the **elliptic curve** is denned by a **quartic
equation** of the type: V2=b. U4+a. U3W+UW3, (U:V:W) being Jacobi projective
...
www.google.com/patents?id=k6GaAAAAEBAJ

5. [APPLICATION] Method for universal calculation applied to points of an
elliptic ... - Google Patents Result
US Pat. App 10523840 - Gemplus
... the concern is with the **elliptic curve** models defined by a **quartic equation** **...**
[0060] The general form of a quartic, in **affine coordinates**, is given by **...**
www.google.com/patents?id=k6GaAAAAEBAJ

6. Husemoller D. Elliptic curves (2ed., Springer, GMT111,
2004)(T)(510s)
Let E be an **elliptic curve** over a field k. For each field extension K of κ the **...**
Away from the origin in the **elliptic curve**, we set w = 1 and consider the **...**
booklists.narod.ru/M_Mathematics/.../Husemoller_D._Elliptic_curves__2ed.__S
pringer__GMT111__2004__T__510s__MAg_.3.htm - Similar pages

7. Husemoller D. Elliptic curves (2ed., Springer, GMT111,
2004)(T)(510s)
Finally, if ? is an **elliptic curve** defined over k, then E(k') is a G-group
with E{k')G = E{k). This can be seen directly with **affine coordinates** or
from the **...**
booklists.narod.ru/M.../MA.../Husemoller_D._Elliptic_curves__2ed.__Sp

ringer ... GMT111 ... 2004 ... T ... 510s ... MAg ... 5... - 85k - <u>Cached</u> - <u>Similar pages</u>